



WRAP TITE[®] MANUFACTURING

www.ShieldStretchFilm.com

www.WrapTiteStretch.com



Our Quality Pledge

Wrap-Tite shareholders and top management pledge to comply with mutually agreed upon quality and service requirements of our customers. As an industry leader, Wrap-Tite is committed to the continual improvement of all its processes and people.

Wrap-Tite's **Quality Management System** Policy...

- 1) Supports the purpose, context and strategy of Wrap-Tite;
- 2) Conforms with both statutory and regulatory requirements and with quality and service needs of customers;
- 3) Is appropriate to the role of Wrap-Tite in the supply chain;
- 4) Provides the framework for setting and reviewing quality objectives;
- 5) Is communicated, implemented and maintained at all levels of Wrap-Tite;
- 6) Continuously strives for improvement;
- 7) Is reviewed for continued suitability;
- 8) Is available upon request to all interested parties.

Sunil Daga
President
2024



Certified to
ISO 9001:2015



Medical Device
Establishment License
Canada



sss TRIPLE S
The leader in facility maintenance supply distribution

Ship Right with **WRAP TITE®**



Wrap-Tite is the **ONLY** extruder, converter and printer of stretch film under one roof in the US – which allows us to be very competitive with our offerings.

Our technical experts are ready to work with distributors to custom design the correct product for any job.

“Our MISSION is to provide our customers with the best quality to price ratio possible, superior products and excellent customer service.”


MACHINE FILMS

CAST MACHINE FILM “CMF”

Description: Cast Machine Stretch Wrap offers a quiet unwind and easy release, making it a preferred choice for efficient wrapping. It is generally used for applications requiring 200-250%, with ultimate stretch being up to 700%; providing excellent load holding properties while maintaining high clarity for easy product identification. This differential cling film is ideal for economically wrapping pallets without compromising load stability, clarity, or cling.

Applications: Perfect for the beverage industry, bagged and boxed products, paper rolls, and general-purpose applications. Suitable for A/B-load profiles. It is also 100% recyclable.

AVAILABLE IN COLORS!





AVAILABLE IN COLORS!

"PMF" PERFORMANCE MACHINE FILM

Description: Our best-selling, Performance one-sided cling cast machine film is designed for high-speed applications. Can be stretched upto 300%, replacing thicker films for a lower per unit cost without sacrificing load containment. This film provides easy release and excellent cling, ensuring high clarity for product identification.

Applications: Ideal for bagged and boxed products, fully automatic equipment, bundling applications, high-speed overhead equipment, and loads requiring OSC and film clarity. Suitable for A, B, and C-load profiles, inboard/outboard loads, and distribution centers mixed pallets. Prevents pallet-to-pallet or wrapped product adhesion during storage and transportation. 100% recyclable.

HIGH PERFORMANCE MACHINE FILM “HPMF”

Description: High Performance Machine Stretch Wrap offers superior puncture and tear resistance with an ultra-thin design. It is used for up to 300% application providing the best load containment at the lowest per unit cost. This down-gauge film delivers easy release and excellent cling, maintaining high clarity for product identification. It is unique recipe prevents film tear resistance and puncture propagation when nicked in the wrapped load.

Applications: Engineered for a variety of wrapping applications, this film is perfect for high-speed operations and demanding environments. It is also 100% recyclable






Description: Ultra-High-Performance Machine Stretch Wrap features a high level of puncture resistance and unparalleled load retention in thin-gauge materials. This strong, high-performance film is designed for high-speed, challenging applications. This formulation provides the best tear resistance and puncture propagation due to multiple layers of film and unique recipe. Provides one of the lowest cost per foot options.

Applications: Ideal for inboard loads where increased stress may occur, this film prevents pallet-to-pallet adhesion during storage and transportation. Suitable for a wide range of applications, including high-speed and demanding environments. It offers perfect roll, edge profiles, and gauge consistency, and is 100% recyclable.

BLOWN MACHINE FILM "BMF"

Description: Our blown machine films- offered only in standard gauges- 60 to 120 ga- provide excellent quality, differential cling and great puncture resistance.

Applications: Good for applications requiring high cling and excellent puncture resistance.



HAND FILMS



CAST HAND FILM “CHF”

Description: Our Cast Hand Film (CHF) offers a quiet unwind and high clarity, making it the ideal choice for a wide range of hand-wrapping applications. Crafted with multi-layer cast technology, CHF provides exceptional load holding properties, ensuring that your pallets remain stable during transit and storage. Its easy release and residue-free property make wrapping faster and more efficient for users, while the film's clean optics allow for seamless barcode scanning.

CHF is engineered with premium resin blends, ensuring high load containment and puncture resistance, even in thinner gauges

Applications: Perfect for everyday use in industries such as brick and block, warehouses, transportation, food distribution, and cold storage environments. Suitable for irregularly shaped loads, distribution centers, bagged products, and boxed products.

AVAILABLE IN COLORS!





“PHF” **PERFORMANCE HAND FILM**

Description: Our best-selling Performance Hand Film is designed to deliver exceptional load containment at lower gauges, making it a cost-effective solution for manual wrapping. This film can be stretched to its optimal point, replacing thicker films while maintaining good load stability. PHF offers easy application with smooth release and superior cling, ensuring high clarity for product identification

Applications: Ideal for down gauging for hand wrapping in warehouses, distribution centers, and general-purpose packaging. PHF is well-suited for securing bagged and boxed products, irregularly shaped loads, and mixed pallets. Its excellent cling properties prevent pallet-to-pallet adhesion during storage and transportation. 100% recyclable and perfect for reducing material waste while maintaining performance

SUPER HI-PERFORMANCE FILM "SPM"

Description: Super Hi-Performance Hand Stretch Film (SPM) delivers great puncture and tear resistance with a highly efficient, ultra-thin formulation using premium resins. This film stretches up to its maximum potential, offering superior load containment at a lower per-unit cost. Engineered for demanding manual wrapping applications, it also provides an easy release with strong cling, ensuring secure and stable wrapping while maintaining high clarity for product identification.

Applications: SPM is designed for downgauging and cost saving for hand wrapping applications. It excels in manual wrapping operations where superior load containment and reduced material usage are needed. 100% recyclable, making it a sustainable choice for performance wrapping needs.



SHIELD MAX





“USPM”

ULTRA SUPER HI-PERFORMANCE HAND FILM

Description: Ultra Hi-Performance Hand Stretch Film (USPM) offers exceptional puncture resistance and unrivaled load retention in thin-gauge materials, making it perfect for demanding manual applications. Designed to deliver maximum performance, this Ultra-thin film features a multi-layer construction that provides the best tear resistance and prevents puncture propagation, ensuring stability even under stress. USPM is engineered to offer one of the lowest cost-per-foot options while maintaining superior strength and stretchability.

Applications: USPM is ideal for securing high-stress loads or irregularly shaped items that require extra protection during manual wrapping. It prevents load shifting and ensures secure wrapping without pallet-to-pallet adhesion during storage and transportation. Perfect for a variety of demanding environments, it ensures consistent gauge and roll quality. **100% recyclable**, making it an environmentally conscious solution for high-performance wrapping.

Custom sizes, colors & thickness can be made upon request — Minimum Order Quantity applies

[1.888.WRAPTITE \(972.7848\)](tel:1.888.WRAPTITE)



GREEN PRODUCT

“NOCO”

CORELESS HAND FILM

Description: Coreless Hand Film (NOCO) eliminates the traditional corrugated core, providing a more sustainable and efficient hand wrapping solution. Without the core, this film reduces waste and delivers more film per 2" ID on roll. NOCO offers excellent load containment, strong puncture resistance, and smooth application, all while being lightweight, easy to handle and most efficient solution for hand film applications. Dispenser allows to use the last layers of the film.

Applications: Ideal for industries focused on sustainability and efficiency, NOCO is perfect for manual wrapping of a wide variety of loads. It's especially beneficial in environments looking to reduce packaging waste and improve wrapping efficiency. 100% recyclable, NOCO supports eco-friendly operations by eliminating core waste.

PRE-STRETCHED HAND FILM

Description: Pre-Stretch Hand Film offers a lightweight yet strong wrapping solution that's already stretched during manufacturing, making it easier to apply and reducing worker fatigue. This film provides excellent load stability with minimal effort, and its thinner profile ensures efficient material usage while maintaining strength and puncture resistance. Pre-stretch film requires less energy to apply, resulting in faster wrapping and cost savings. Since it is already stretched, one does not have to move backwards to stretch, instead move forward, wrap, pull & tuck making it a safer and easier operation. It has a Rubber Band like effect.

Applications: Ideal for environments where speed and efficiency are essential, Pre-Stretch Film is perfect for hand wrapping lighter or more uniform loads. It reduces the amount of film needed, helping to lower material costs without compromising load security. 100% recyclable, Pre-Stretch Film supports sustainability while offering high performance in everyday wrapping tasks.

AVAILABLE IN COLORS!



CONVERTED FILMS

NARROW WIDTH BANDING FILM

Description: Our narrow banding service converts rolls into smaller widths, ranging from 1" to 8" on all different kind of cores. This service is ideal for applications requiring smaller roll sizes or specialized widths. Available in a variety of colors, our narrow banding provides the versatility you need for different packaging and wrapping tasks.

Applications: Perfect for applications where smaller roll sizes are needed, including specialized packaging, retail applications, and customized wrapping solutions.



AVAILABLE IN COLORS!

PIPE WRAP “CPW”

Description: Our pipe wrap service includes rolls with extensions on both sides, offering superior handling and application convenience. This design is particularly useful for situations where additional support and grip are needed during the wrapping process. Available in various sizes and colors, pipe wrap provides enhanced functionality for your packaging needs.

Applications: Suitable for applications requiring additional handling support, such as wrapping pipes or other cylindrical objects, ensuring secure and efficient application.



AVAILABLE IN COLORS!



Description: The extended core service features roll with one-sided extension, allowing for easy handle placement and enhanced usability. This option is available in various sizes and colors, providing both functionality and customization to fit your specific needs. The extended core design facilitates convenient handling and application.

Applications: Ideal for scenarios where enhanced grip and ease of use are essential, such as for manual handling and application, improving efficiency and reducing labor.



ORBITAL WRAPPING

Description: Our orbital wrapping solution can be custom made, offering precise and consistent wrapping. This method provides a clean and efficient wrap for a variety of products, ensuring uniformity and reliability in the wrapping process.

Applications: Perfect for applications requiring uniform and efficient wrapping, including bulk packaging and products needing consistent coverage.



SPECIALTY FILMS

UVI OUTDOOR FILM

Description: Our UVI Package integrates Ultra-Violet Inhibitors to shield products from UV radiation, effectively preventing degradation of the film when kept in open/outside.

Key Features:

- UV Inhibitors to Prevent Film Degradation
- Protects Film from UV Radiation
- Extends Outside Storage

Applications: Ideal for outdoor storage.

Available in both hand and machine film formats.

COLD TEMPERATURE FILM

Description: Arctic Wrap is designed for exceptional performance in cold temperatures. This film remains flexible and effective in freezing environments, ensuring reliable wrapping in cold storage with good cling performance.

Key Features:

- Formulated for Cold Temperatures
- Good Cling at Cold Temperatures
- Reliable Performance in Extreme Cold

Applications: Perfect for cold storage and transportation where low temperatures are a concern.

Available in both hand and machine film formats.



BIO-DEGRADABLE FILM

Description: The Bio-Degradable line features Oxy-biodegradable additive that naturally breaks down over time in presence of water oxygen, offering an eco-friendly alternative for wrapping and packaging needs. Oxy-biodegradable additives have a pre-programmed life. At the end of this useful service life, the process of oxo-biodegradation starts, and the plastic will eventually break down into water, carbon dioxide, and biomass.

Applications: Suitable for businesses focused on sustainability and waste reduction.

Available in both hand and machine film formats.

**OXY-FADE
WRAP**
B I O D E G R A D A B L E



ANTI-STATIC FILM

Description: The Anti-Static Package features an anti-static additive to minimize static during the unwinding of film and to prevent static charge buildup, protecting sensitive electronic components and other static-sensitive materials by minimizing static discharge. Made on very light pink tint.

Applications: Ideal for electronics, chemicals, and industries requiring static control.

Available in both hand and machine film formats.



VOLITAILE CORROSION INHIBITOR FILM “VCI”

Description: Our VCI Package incorporates Volatile Corrosion Inhibitors to safeguard metal products from corrosion during storage and transportation. Generally, we put blue color to the film for easy identification to indicate VCI.

Key Features:

- Volatile Corrosion Inhibitors for Metal Protection
- Blue Color to the Film for Easy Identification
- Effective Corrosion Control

Applications: Perfect for metal parts and machinery prone to rust and corrosion.

Available in both hand and machine film formats.



HIGH CLING FILM

“HC”

Description: The High Cling Package is designed with a high cling additive to enhance better cling between film layers, ensuring stability and preventing separation during handling and transportation.

Key Features:

- High Cling Additive for Enhanced Adhesion
- Prevents Separation and Shifting
- Ensures Stability and Security
- Very helpful for thicker film, 175 gauge & above

Applications: Ideal for applications where maintaining load integrity and high cling is essential.

Available in both hand and machine film formats.





HIGH SLIP/HIGH CLING FILM “HSHC”

Description: This versatile film combines high slip on the outside and high cling on the inside. The outer surface reduces cling between stacked pallets or items, while the inner surface enhances adhesion to hold the load securely.

Key Features:

- High Slip on the Outside to Prevent External Cling
- Provide separation and slip between wrapped package
- High Cling on the Inside for Secure Load Retention
- Combines Benefits of Both Properties

Applications: Ideal for applications requiring secure load retention while preventing sticking of wrapped items to each other.

Available in both hand and machine film formats.

HIGH SLIP FILM “HS”

Description: The High Slip Package features a high slip additive to ensure wrapped load does not cling to each other , rather it slips.

Key Features:

- High Slip Additive for Easy Separation
- Facilitates Easy Handling

Applications: Suitable for applications where easy separation of wrapped items is a priority

Available in both hand and machine film formats.



UVI/VCI FILM

Description: The UVI/VCI in One package merges ultraviolet inhibitor with volatile corrosion inhibitors, providing comprehensive protection against both UV radiation and corrosion.

Key Features:

- Combination of UV and Corrosion Protection
- Dual Additives for Comprehensive Coverage and better storage & load stability
- Versatile and Effective
- Ideal for Outside Application for Metal Wrapping and for outside storage.

Applications: Perfect for items exposed to both UV radiation and potential corrosion.





LAUNDRY WRAP "LW"

Description: This clear, durable specially formulated overwrap preserves the freshness and quality of linens, keeping them clean, crisp, or soft until needed. It stretches, clings, and heat-seals effortlessly, making it perfect for wrapping laundry in hospitals, hotels, dry cleaners, and commercial laundries.

Key Features:

- Strong Cling
- Clear & Crisp looks
- Temperature resistant
- Easy to unwind rolls
- Wrapped Laundry Stock Remains Stable

Applications: Suitable for laundry and other heavy-duty wrapping needs.

WIDE WEB FILMS

Description: The term “wide web” refers to pallet stretch film that is larger than 30 inches wide. Many companies prefer wide web wrap to efficiently handle large objects or tall pallet loads


Key Features:

- Available in 40", 50", 60", 70", 80"
- Offered in Various Gauges and Lengths

Applications: Perfect for industrial and large-scale wrapping operations.

Available in both hand and machine film formats.





SHIELD STRETCH BANDS

Description: Shield Stretch Bands are designed for strong temporary unitizing the load so that it can be moved over a shorter distance for proper wrapping.

Key Features:

- Strong Holding Power
- Ideal for Bundling and palletizing loads to move over a short distance.
- Provides Tight and Secure Wrapping
- Replaces bundling film, more cost effective and less labor

Applications: Suitable for bundling and securing loads requiring strong stretch capability.

PRINTED FILMS

Description: Our Printed Films offer customizable printing options to enhance branding and product identification. Tailor your film with logos, instructions, or decorative elements to meet specific design needs.

Key Features:

- Customizable Printing Options
- Enhances Branding and Product Identification
- Tailored to Design Requirements
- Minimizes load tampering.

Applications: Ideal for branding, marketing, and product identification with custom printing.

Available in both hand and machine film formats.



COLOR SWATCHES FOR STRETCH FILM PRODUCTION AND PRINTING

RED	ORANGE	YELLOW PMS YELLOWC	GREEN PMS 378C	BLUE PMS 300C	PURPLE PMS 262C	PINK PMS 250C	BROWN PMS 470C	GRAY PMS 422C	BLACK	WHITE
PMS 199C	PMS 165C									

NOTE: Final product color(s) may slightly vary from shown, but are as close to the listed PMS colors as possible.

WRAP FLOW

PERFORMANCE VENTED FILM



VENTED WRAPFLOW FILMS

Description: Vented stretch film features perforations that allow airflow, making it ideal for wrapping products that require breathability. It prevents moisture buildup and condensation, keeping items like fresh produce, plants, or firewood in optimal condition. Vented film also ensures faster cooling for warm products, such as baked goods or beverages, during transportation or storage.

Key Features:

- Available in Various Widths, Gauges, and Lengths
- Prevents Moisture Buildup and Reduces Spoilage
- Ideal for Temperature-Sensitive Items

Applications: • Compatible with Manual and Automatic Wrapping Solutions

Available in both hand and machine film formats.


NETTING WRAP

Description: Netting wrap is the perfect solution for securing items. It offers exceptional airflow and minimizes condensation to keep products such as produce, firewood, and flowers fresh and protected. However, netting wrap stands out with its firmer structure and greater breathability, making it ideal for applications that require enhanced air circulation. Its versatility makes it a go-to solution in food, garden, and lumber industries, whether for wrapping meat, dairy, flowers, or wood materials which needs to be mechanically tied.

Key Features:

- Open Mesh Design for Superior Airflow
- Reduces Condensation to Prevent Spoilage and Mildew
- Available for hand wrapping as well as to be used in stretch wrapping machines.
- Ideal for Produce, Flowers, Meat, Dairy, and Wood Products
- Perfect for Industries Needing Secure, Breathable Wrapping Solutions

Available in both hand and machine film formats.





 **GREEN PRODUCT**



“POCO”

POST-CONSUMER FILM

Description: POCO Film is an innovative packaging solution designed to meet the demands of sustainability while maintaining excellent performance. Made with a significant percentage of Post-Consumer Recycled (PCR) content, this film offers a reliable wrapping option for businesses looking to reduce their environmental footprint. Available both in Hand & Machine formulation with minimum 25% PCR content. This eco-friendly composition not only promotes recycling efforts but also ensures strength and durability during use, providing effective protection for a wide range of products..

Key Features:

- Hand Film: 25% Post-Consumer Recycled Content
- Machine Film: 35% Post-Consumer Recycled Content
- Pre-Stretch Film: 35% Post-Consumer Recycled Content
- Strong and Durable for Reliable Wrapping
- Contributes to Sustainable Packaging Solutions

Applications: Ideal for businesses focused on sustainability that require effective and eco-friendly wrapping solutions across various industries.

Available in both hand and machine film formats.

COMPANY POLICIES



EMAIL YOUR ORDERS TO ORDERS@WRAPITITE.COM

24/7 ONLINE ACCOUNT ACCESS AT WWW.WRAPITITE.COM

- ▶ Get the most accurate pricing and product availability
- ▶ Take advantage of exclusive coupon codes and our \$Wrap-Tite Cash\$ program
- ▶ Easily review your order history and track shipments
- ▶ Access useful promotional tools like our catalog and product flyers
- ▶ Stay up-to-date on new product offerings

New to our website? Existing customers can request a login and password to start ordering online and to access to their full account information.

WRAP-TITE VALUES

EXCELLENT QUALITY, COMPETITIVE PRICES, & SUPERIOR SERVICE

- ◆ With more than 2,500 SKUs to choose from, Wrap-Tite is a full service resource for all your packaging needs.
- ◆ If you are not fully satisfied with any item for any reason, simply contact us for immediate replacement.

TOLL FREE: 1-888-WRAPITITE (972-7848)

- ▶ Our dedicated staff provides you with excellent customer service
- ▶ Our hours of operation are 8 AM to 5:30 PM

1-2 BUSINESS DAY SHIPPING ON MOST ITEMS

- ▶ For eligible stock orders placed before 2:00pm ET

NO MINIMUM ORDER REQUIREMENT

- ▶ We ship as low as one case nationwide
- ▶ Additional \$5.00 charge on orders less than \$100
- ▶ \$4 upcharge/roll on machine length for a broken pallet
- ▶ \$25 upcharge/roll on wide web stretch film greater than or equal to 40'

FAX NO.: 440-349-5432

- ▶ We also accept faxed quote requests & orders any time

VOLUME DISCOUNTS

- ▶ Volume discounts available on large orders
- ▶ Please contact us to discuss your large volume needs at 1-888-WRAPITITE (972-7848)

CONFIDENTIAL DROP SHIPMENTS & PRIVATE LABELS

- ▶ We do blind drop shipments & private labeling at no additional charge
- ▶ The Wrap-Tite name will not appear on packaging or packaging slip

IMPORTANT NOTE:

Management reserves the right to change the above policies due to any reason at any time at their discretion. This catalog may contain errors & omissions relating to product description, pricing, availability. We reserve the right to correct errors & omissions without prior notice. We also reserve the right to cancel any offered product or service in the event of an error or omission in the description, including pricing, unavailability, or other reason. Thank you.

For the latest product announcements, please sign up to be on our mailing list at www.wraptite.com.

Notes

Notes



6200 Cochran Road

(440) 349-5400


Toll Free (888) WRAP-TITE (972-7848)

WWW.WRAPTITE.COM

INDUSTRIAL



JAN/SAN



SHIELD CARE

SAFETY

LOCATIONS

Corporate Headquarters:

Manufacturing Plant:

Canada Office/Warehouse:

6250 Camp Industrial Road

7300 Torbram Road

Florida Warehouse:

Illinois Warehouse:

Texas Warehouse:

2950 N. Andrews Ave. #100